

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	1001	(380/30).cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 15:43
L4	556	(380/30).cccls. and (private with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 15:44
L5	1	(380/30).cccls. and (generat\$ or producing) adj (private with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 15:45
L8	15	(generat\$ or producing) with (private with key) with matri\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:39
L9	8	(generat\$ or producing) with ((private and public) with key) with matri\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 15:49
L10	8	(generat\$ or producing) with ((private and public) with key) with matri\$ and encryp\$ with public with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 15:50
L11	5	(generat\$ or producing) with ((private and public) with key) with matri\$ and encryp\$ with public with key and (decryp\$ with private with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:14
L12	11	((private and public) with key) with matri\$ and encryp\$ with public with key and (decryp\$ with private with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:14
L13	18	((private and public) with key) with matri\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:39

L14	15	((private and public) with key) with matri\$ and encryp\$ and decrypt\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:40
L15	11	((private and public) with key) with matri\$ and (encryp\$ with public with key) and (decrypt\$ with private with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:49
L16	4	I3 and (producing or generat\$) with public with key with private with key with matri\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:52
L17	6	(producing or generat\$) with public with key with private with key with matri\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:52
L18	6	(producing or generat\$) with (public with key) with (private with key) with matri\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:53
L19	5	("380"/\$).cccls. and (producing or generat\$) with (public with key) with (private with key) with matri\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:53
L20	1	("713"/\$).cccls. and (producing or generat\$) with (public with key) with (private with key) with matri\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:53

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	1001	(380/30).cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 15:43
L4	556	(380/30).cccls. and (private with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 15:44
L5	1	(380/30).cccls. and (generat\$ or producing) adj (private with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 15:45
L8	15	(generat\$ or producing) with (private with key) with matri\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:39
L9	8	(generat\$ or producing) with ((private and public) with key) with matri\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 15:49
L10	8	(generat\$ or producing) with ((private and public) with key) with matri\$ and encryp\$ with public with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 15:50
L11	5	(generat\$ or producing) with ((private and public) with key) with matri\$ and encryp\$ with public with key and (decryp\$ with private with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:14
L12	11	((private and public) with key) with matri\$ and encryp\$ with public with key and (decryp\$ with private with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:14
L13	18	((private and public) with key) with matri\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:39

L14	15	((private and public) with key) with matri\$ and encryp\$ and decrypt\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:40
L15	11	((private and public) with key) with matri\$ and (encryp\$ with public with key) and (decrypt\$ with private with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:49
L16	4	I3 and (producing or generat\$) with public with key with private with key with matri\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:52
L17	6	(producing or generat\$) with public with key with private with key with matri\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:52
L18	6	(producing or generat\$) with (public with key) with (private with key) with matri\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:53
L19	5	("380"/\$).cccls. and (producing or generat\$) with (public with key) with (private with key) with matri\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:53
L20	1	("713"/\$).cccls. and (producing or generat\$) with (public with key) with (private with key) with matri\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:53